S-Risk report - CSM_L_2ep

Administrative information

Name: CSM_L_2ep
Label: YV
Application: II Site specific risk assessment
Region: Wallonia
Description: conc BTEXmtbe = iterering RI1

Main results

	Highest RI	Highest ExCR	Highest pRI	Highest CI
Chemical	(>1)	(>10^{-5})	(>1)	(>1)
Benzene	1.004e+0	9.737e-6		6.078e-3 (Outdoor air CI)
Toluene	9.971e-1			(Indoor air CI)
Ethylbenzene	2.462e-2	9.950e-6		(Indoor air CI)
m-Xylene	9.970e-1			(Indoor air CI)
Naphthalene		9.704e-6		(Indoor air CI)
TPH aliphatic (EC 5-6)	0			(Indoor air CI)
TPH aliphatic (EC >10-12)	1.952e-1			(Indoor air CI)
TPH aliphatic (EC >12-16)	1.898e-2			(Indoor air CI)
TPH aliphatic (EC >16-21)	8.358e-5			(Indoor air CI)
TPH aliphatic (EC >21-35)	0			(Indoor air CI)
TPH aliphatic (EC >6-8)	2.468e-2			(Indoor air CI)
TPH aliphatic (EC >8-10)	9.217e-1			(Indoor air CI)
TPH aromatic (EC >6-7)	0	0		0 (Outdoor air CI)
TPH aromatic (EC >7-8)	0			(Indoor air CI)
TPH aromatic (EC >8-10)	9.940e-1			(Indoor air CI)
TPH aromatic (EC >10-12)	1.613e-1			(Indoor air CI)
TPH aromatic (EC >12-16)	7.404e-2			(Indoor air CI)
TPH aromatic (EC >16-21)	3.948e-3			(Indoor air CI)
TPH aromatic (EC >21-35)	0			(Indoor air CI)
Methyl-t-butylether	2.388e-2	1.003e-5		(Indoor air CI)

Conceptual site model

Scenario

Land use: Residential only inhal

Based on: Residential without garden

Exposure routes

Oral		Inhalation		Dermal	
☐	soil & settled dust	☑	via outdoor air	☐	via soil & settled dust
☐	vegetables	☑	via indoor air	☑	via water (bath & shower)
☐	via meat & milk	☑	during showering		
☐	via eggs				
☐	via water				

Soil profile & concentrations

Site characteristics

Building type		Basement
Floor thickness	m	0.1
Floor quality setting		Gaps and holes
Drinking water pipe depth	m	0.8
Length of the site	m	50.0

		Standard sandy loam	Standard sandy loam	Groundwater
Layer properties				
Top of layer	m	0.0	7.0	8.0
OM	%	2.8	2.8	
Clay content	%	12.0	12.0	

	Standard sandy loam	Standard sandy loam	Groundwater
pH_{KCl}	5.400e+0	5.400e+0	
Concentrations	**mg/kg dm**	**mg/kg dm**	**µg/l (Calculated)**
Benzene	0	5.850e-1	2.107e+2
Toluene	0	6.900e+1	1.630e+4
Ethylbenzene	0	2.650e+0	4.331e+2
m-Xylene	0	4.020e+1	6.717e+3
Naphthalene	0	2.250e+1	5.439e+2
TPH aliphatic (EC 5-6)	0	0	0
TPH aliphatic (EC >10-12)	0	1.167e+3	1.970e+1
TPH aliphatic (EC >12-16)	0	6.739e+3	4.404e-1
TPH aliphatic (EC >16-21)	0	3.195e+3	1.449e-3
TPH aliphatic (EC >21-35)	0	0	0
TPH aliphatic (EC >6-8)	0	1.378e+1	1.097e+2
TPH aliphatic (EC >8-10)	0	1.251e+2	1.393e+2
TPH aromatic (EC >6-7)	0	0	0
TPH aromatic (EC >7-8)	0	0	0
TPH aromatic (EC >8-10)	0	2.223e+2	5.003e+3
TPH aromatic (EC >10-12)	0	1.945e+2	2.781e+3
TPH aromatic (EC >12-16)	0	1.598e+3	3.361e+3
TPH aromatic (EC >16-21)	0	9.727e+2	3.766e+2
TPH aromatic (EC >21-35)	0	0	0
Methyl-t-butylether	0	3.625e+1	5.087e+4

Results per chemical

Benzene

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	1.004e+0	6.856e-1	4.763e-1
Overall RI for systemic threshold effects	1.004e+0	6.856e-1	4.763e-1

Non-threshold, systemic	Age group 1	Age group 2	Age group 3	Lifelong
Oral ExCR for systemic non-threshold effects	0	0	0	0
Dermal ExCR for systemic non-threshold effects	0	0	0	0
Inhalation ExCR for systemic non-threshold effects	1.807e-5	1.234e-5	8.574e-6	9.737e-6
Overall ExCR for systemic non-threshold effects	1.807e-5	1.234e-5	8.574e-6	9.737e-6

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m^3
Water CI	0	1.000e+0
Outdoor air CI	6.078e-3	5.000e-3
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**3.012e-3**		**2.057e-3**		**1.429e-3**	
inhalation of indoor air	3.010e-3	99.9%	2.055e-3	99.9%	1.428e-3	100.0%
inhalation of outdoor air	2.362e-6	0.1%	2.117e-6	0.1%	6.110e-7	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%
local oral exposure	0	%	0	%	0	%
Inhal	**3.012e-3**		**2.057e-3**		**1.429e-3**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	3.012e-3	100.0%	2.057e-3	100.0%	1.429e-3	100.0%

(*) Refer to the full report for more information about these values.

Toluene

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	9.971e-1	6.808e-1	4.730e-1
Overall RI for systemic threshold effects	9.971e-1	6.808e-1	4.730e-1

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m^3
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr	6-<15 yr	15-<71 yr
	mg/kg bw·d or mg/m³	mg/kg bw·d or mg/m³	mg/kg bw·d or mg/m³
Oral intake	**0**	**0**	**0**

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**2.592e-1**		**1.770e-1**		**1.230e-1**	
inhalation of indoor air	2.590e-1	99.9%	1.768e-1	99.9%	1.229e-1	100.0%
inhalation of outdoor air	2.030e-4	0.1%	1.819e-4	0.1%	5.253e-5	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%
local oral exposure	0	%	0	%	0	%
Inhal	**2.592e-1**		**1.770e-1**		**1.230e-1**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	2.592e-1	100.0%	1.770e-1	100.0%	1.230e-1	100.0%

(*) Refer to the full report for more information about these values.

Ethylbenzene

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	2.462e-2	1.681e-2	1.168e-2
Overall RI for systemic threshold effects	2.462e-2	1.681e-2	1.168e-2

Non-threshold, systemic	Age group 1	Age group 2	Age group 3	Lifelong
Oral ExCR for systemic non-threshold effects	0	0	0	0
Dermal ExCR for systemic non-threshold effects	0	0	0	0
Inhalation ExCR for systemic non-threshold effects	1.847e-5	1.261e-5	8.761e-6	9.950e-6
Overall ExCR for systemic non-threshold effects	1.847e-5	1.261e-5	8.761e-6	9.950e-6

Concentration indexes

Concentration index	Limit value
CI Environment	mg/m^3
Water CI	
Outdoor air CI	
Indoor air CI	
CI Animal products	mg/kg fw
Beef CI	
Sheep meat CI	
Liver CI	
Kidney CI	

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**7.387e-3**		**5.044e-3**		**3.505e-3**	
inhalation of indoor air	7.381e-3	99.9%	5.039e-3	99.9%	3.503e-3	100.0%
inhalation of outdoor air	5.772e-6	0.1%	5.173e-6	0.1%	1.493e-6	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**7.387e-3**		**5.044e-3**		**3.505e-3**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	7.387e-3	100.0%	5.044e-3	100.0%	3.505e-3	100.0%

(*) Refer to the full report for more information about these values.

m-Xylene

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	9.970e-1	6.808e-1	4.730e-1
Overall RI for systemic threshold effects	9.970e-1	6.808e-1	4.730e-1

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m³
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**9.970e-2**		**6.808e-2**		**4.730e-2**	
inhalation of indoor air	9.962e-2	99.9%	6.801e-2	99.9%	4.728e-2	100.0%
inhalation of outdoor air	7.785e-5	0.1%	6.976e-5	0.1%	2.014e-5	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**9.970e-2**		**6.808e-2**		**4.730e-2**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	9.970e-2	100.0%	6.808e-2	100.0%	4.730e-2	100.0%

(*) Refer to the full report for more information about these values.

Naphthalene

Risk indexes

Non-threshold, systemic	Age group 1	Age group 2	Age group 3	Lifelong
Oral ExCR for systemic non-threshold effects	0	0	0	0
Dermal ExCR for systemic non-threshold effects	0	0	0	0
Inhalation ExCR for systemic non-threshold effects	1.801e-5	1.230e-5	8.545e-6	9.704e-6
Overall ExCR for systemic non-threshold effects	1.801e-5	1.230e-5	8.545e-6	9.704e-6

Concentration indexes

Concentration index	Limit value
CI Environment	mg/m³
Water CI	
Outdoor air CI	
Indoor air CI	
CI Animal products	mg/kg fw
Beef CI	
Sheep meat CI	
Liver CI	
Kidney CI	

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**5.298e-4**		**3.617e-4**		**2.513e-4**	
inhalation of indoor air	5.293e-4	99.9%	3.614e-4	99.9%	2.512e-4	100.0%
inhalation of outdoor air	4.140e-7	0.1%	3.710e-7	0.1%	1.071e-7	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**5.298e-4**		**3.617e-4**		**2.513e-4**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	5.298e-4	100.0%	3.617e-4	100.0%	2.513e-4	100.0%

(*) Refer to the full report for more information about these values.

TPH aliphatic (EC 5-6)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	0	0	0
Overall RI for systemic threshold effects	0	0	0

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m³
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**0**		**0**		**0**	
inhalation of indoor air	0	%	0	%	0	%
inhalation of outdoor air	0	%	0	%	0	%
inhalation during showering	0	%	0	%	0	%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**0**		**0**		**0**	
background inhalation exposure	0	%	0	%	0	%
local inhalation exposure	0	%	0	%	0	%

(*) Refer to the full report for more information about these values.

TPH aliphatic (EC >10-12)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	1.952e-1	1.333e-1	9.262e-2
Overall RI for systemic threshold effects	1.952e-1	1.333e-1	9.262e-2

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m^3
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**1.952e-1**		**1.333e-1**		**9.262e-2**	
inhalation of indoor air	1.951e-1	99.9%	1.332e-1	99.9%	9.258e-2	100.0%
inhalation of outdoor air	1.534e-4	0.1%	1.375e-4	0.1%	3.969e-5	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**1.952e-1**		**1.333e-1**		**9.262e-2**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	1.952e-1	100.0%	1.333e-1	100.0%	9.262e-2	100.0%

(*) Refer to the full report for more information about these values.

TPH aliphatic (EC >12-16)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	1.898e-2	1.296e-2	9.005e-3
Overall RI for systemic threshold effects	1.898e-2	1.296e-2	9.005e-3

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m³
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**1.898e-2**		**1.296e-2**		**9.005e-3**	
inhalation of indoor air	1.897e-2	99.9%	1.295e-2	99.9%	9.001e-3	100.0%
inhalation of outdoor air	1.492e-5	0.1%	1.337e-5	0.1%	3.859e-6	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**1.898e-2**		**1.296e-2**		**9.005e-3**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	1.898e-2	100.0%	1.296e-2	100.0%	9.005e-3	100.0%

(*) Refer to the full report for more information about these values.

TPH aliphatic (EC >16-21)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	8.358e-5	5.707e-5	3.965e-5
Overall RI for systemic threshold effects	8.358e-5	5.707e-5	3.965e-5

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m³
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**5.850e-4**		**3.995e-4**		**2.775e-4**	
inhalation of indoor air	5.846e-4	99.9%	3.991e-4	99.9%	2.774e-4	100.0%
inhalation of outdoor air	4.598e-7	0.1%	4.120e-7	0.1%	1.189e-7	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**5.850e-4**		**3.995e-4**		**2.775e-4**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	5.850e-4	100.0%	3.995e-4	100.0%	2.775e-4	100.0%

(*) Refer to the full report for more information about these values.

TPH aliphatic (EC >21-35)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	0	0	0
Overall RI for systemic threshold effects	0	0	0

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m³
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**0**		**0**		**0**	
inhalation of indoor air	0	%	0	%	0	%
inhalation of outdoor air	0	%	0	%	0	%
inhalation during showering	0	%	0	%	0	%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**0**		**0**		**0**	
background inhalation exposure	0	%	0	%	0	%
local inhalation exposure	0	%	0	%	0	%

(*) Refer to the full report for more information about these values.

TPH aliphatic (EC >6-8)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	2.468e-2	1.685e-2	1.171e-2
Overall RI for systemic threshold effects	2.468e-2	1.685e-2	1.171e-2

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m^3
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**4.542e-1**		**3.101e-1**		**2.155e-1**	
inhalation of indoor air	4.538e-1	99.9%	3.098e-1	99.9%	2.154e-1	100.0%
inhalation of outdoor air	3.569e-4	0.1%	3.198e-4	0.1%	9.233e-5	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**4.542e-1**		**3.101e-1**		**2.155e-1**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	4.542e-1	100.0%	3.101e-1	100.0%	2.155e-1	100.0%

(*) Refer to the full report for more information about these values.

TPH aliphatic (EC >8-10)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	9.217e-1	6.293e-1	4.372e-1
Overall RI for systemic threshold effects	9.217e-1	6.293e-1	4.372e-1

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m^3
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**9.217e-1**		**6.293e-1**		**4.372e-1**	
inhalation of indoor air	9.209e-1	99.9%	6.287e-1	99.9%	4.371e-1	100.0%
inhalation of outdoor air	7.243e-4	0.1%	6.491e-4	0.1%	1.874e-4	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**9.217e-1**		**6.293e-1**		**4.372e-1**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	9.217e-1	100.0%	6.293e-1	100.0%	4.372e-1	100.0%

(*) Refer to the full report for more information about these values.

TPH aromatic (EC >6-7)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	0	0	0
Overall RI for systemic threshold effects	0	0	0

Non-threshold, systemic	Age group 1	Age group 2	Age group 3	Lifelong
Oral ExCR for systemic non-threshold effects	0	0	0	0
Dermal ExCR for systemic non-threshold effects	0	0	0	0
Inhalation ExCR for systemic non-threshold effects	0	0	0	0
Overall ExCR for systemic non-threshold effects	0	0	0	0

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m³
Water CI	0	1.000e+0
Outdoor air CI	0	5.000e-3
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**0**		**0**		**0**	
inhalation of indoor air	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
inhalation of outdoor air	0	%	0	%	0	%
inhalation during showering	0	%	0	%	0	%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%
local oral exposure	0	%	0	%	0	%
Inhal	**0**		**0**		**0**	
background inhalation exposure	0	%	0	%	0	%
local inhalation exposure	0	%	0	%	0	%

(*) Refer to the full report for more information about these values.

TPH aromatic (EC >7-8)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	0	0	0
Overall RI for systemic threshold effects	0	0	0

Concentration indexes

	Concentration index	Limit value

	Concentration index	Limit value
CI Environment		mg/m^3
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**0**		**0**		**0**	
inhalation of indoor air	0	%	0	%	0	%
inhalation of outdoor air	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
inhalation during showering	0	%	0	%	0	%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%
local oral exposure	0	%	0	%	0	%
Inhal	**0**		**0**		**0**	
background inhalation exposure	0	%	0	%	0	%
local inhalation exposure	0	%	0	%	0	%

(*) Refer to the full report for more information about these values.

TPH aromatic (EC >8-10)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	9.940e-1	6.787e-1	4.716e-1
Overall RI for systemic threshold effects	9.940e-1	6.787e-1	4.716e-1

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m³

	Concentration index	Limit value
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**1.988e-1**		**1.357e-1**		**9.432e-2**	
inhalation of indoor air	1.986e-1	99.9%	1.356e-1	99.9%	9.427e-2	100.0%
inhalation of outdoor air	1.562e-4	0.1%	1.400e-4	0.1%	4.042e-5	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%
local oral exposure	0	%	0	%	0	%
Inhal	**1.988e-1**		**1.357e-1**		**9.432e-2**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	1.988e-1	100.0%	1.357e-1	100.0%	9.432e-2	100.0%

(*) Refer to the full report for more information about these values.

TPH aromatic (EC >10-12)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	1.613e-1	1.102e-1	7.654e-2
Overall RI for systemic threshold effects	1.613e-1	1.102e-1	7.654e-2

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m^3
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw

	Concentration index	Limit value
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**3.227e-2**		**2.203e-2**		**1.531e-2**	
inhalation of indoor air	3.224e-2	99.9%	2.201e-2	99.9%	1.530e-2	100.0%
inhalation of outdoor air	2.536e-5	0.1%	2.273e-5	0.1%	6.562e-6	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr	6-<15 yr	15-<71 yr

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%
local oral exposure	0	%	0	%	0	%
Inhal	**3.227e-2**		**2.203e-2**		**1.531e-2**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	3.227e-2	100.0%	2.203e-2	100.0%	1.531e-2	100.0%

(*) Refer to the full report for more information about these values.

TPH aromatic (EC >12-16)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	7.404e-2	5.056e-2	3.513e-2
Overall RI for systemic threshold effects	7.404e-2	5.056e-2	3.513e-2

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m³
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		

	Concentration index	Limit value
Liver CI		
Kidney CI		
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**1.481e-2**		**1.011e-2**		**7.025e-3**	
inhalation of indoor air	1.480e-2	99.9%	1.010e-2	99.9%	7.022e-3	100.0%
inhalation of outdoor air	1.165e-5	0.1%	1.044e-5	0.1%	3.013e-6	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr	6-<15 yr	15-<71 yr
	mg/kg bw·d or mg/m³	mg/kg bw·d or mg/m³	mg/kg bw·d or mg/m³
Oral	**0**	**0**	**0**

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
background oral exposure	0	%	0	%	0	%
local oral exposure	0	%	0	%	0	%
Inhal	**1.481e-2**		**1.011e-2**		**7.025e-3**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	1.481e-2	100.0%	1.011e-2	100.0%	7.025e-3	100.0%

(*) Refer to the full report for more information about these values.

TPH aromatic (EC >16-21)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	3.948e-3	2.696e-3	1.873e-3
Overall RI for systemic threshold effects	3.948e-3	2.696e-3	1.873e-3

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m^3
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		

	Concentration index	Limit value
Kidney CI		
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**4.146e-4**		**2.831e-4**		**1.967e-4**	
inhalation of indoor air	4.142e-4	99.9%	2.828e-4	99.9%	1.966e-4	100.0%
inhalation of outdoor air	3.267e-7	0.1%	2.928e-7	0.1%	8.452e-8	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**4.146e-4**		**2.831e-4**		**1.967e-4**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	4.146e-4	100.0%	2.831e-4	100.0%	1.967e-4	100.0%

(*) Refer to the full report for more information about these values.

TPH aromatic (EC >21-35)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	0	0	0
Overall RI for systemic threshold effects	0	0	0

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m³
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**0**		**0**		**0**	
inhalation of indoor air	0	%	0	%	0	%
inhalation of outdoor air	0	%	0	%	0	%
inhalation during showering	0	%	0	%	0	%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**0**		**0**		**0**	
background inhalation exposure	0	%	0	%	0	%
local inhalation exposure	0	%	0	%	0	%

(*) Refer to the full report for more information about these values.

Methyl-t-butylether

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	2.388e-2	1.630e-2	1.133e-2
Overall RI for systemic threshold effects	2.388e-2	1.630e-2	1.133e-2

Non-threshold, systemic	Age group 1	Age group 2	Age group 3	Lifelong
Oral ExCR for systemic non-threshold effects	0	0	0	0
Dermal ExCR for systemic non-threshold effects	0	0	0	0
Inhalation ExCR for systemic non-threshold effects	1.862e-5	1.272e-5	8.835e-6	1.003e-5
Overall ExCR for systemic non-threshold effects	1.862e-5	1.272e-5	8.835e-6	1.003e-5

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m³
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**7.163e-2**		**4.891e-2**		**3.398e-2**	
inhalation of indoor air	7.157e-2	99.9%	4.886e-2	99.9%	3.397e-2	100.0%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
inhalation of outdoor air	5.634e-5	0.1%	5.049e-5	0.1%	1.458e-5	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%
local oral exposure	0	%	0	%	0	%
Inhal	**7.163e-2**		**4.891e-2**		**3.398e-2**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	7.163e-2	100.0%	4.891e-2	100.0%	3.398e-2	100.0%

(*) Refer to the full report for more information about these values.

List of user-modified parameters

In the table below user-modified parameters are listed like they are saved in the system. If the format of the values shown is not immediately clear, refer to the extended report for more details.

Topic	Soil layer	Chemical	Parameter	Value	Comment
Scenario			scenarioName	Residential only inhal	
Soil	Standard sandy loam (0.0m)		Top of layer	0.0E0	
Soil	Standard sandy loam (7.0m)		Top of layer	7.0E0	
Soil	Standard sandy loam (0.0m)	Benzene	Measured soil layer concentration	0	
Soil	Standard sandy loam (7.0m)	Benzene	Measured soil layer concentration	0.585	
Soil	Standard sandy loam (0.0m)	Ethylbenzene	Measured soil layer concentration	0	
Soil	Standard sandy loam (7.0m)	Ethylbenzene	Measured soil layer concentration	2.65	
Soil	Standard sandy loam (0.0m)	Methyl-t-butylether	Measured soil layer concentration	0	
Soil	Standard sandy loam (7.0m)	Methyl-t-butylether	Measured soil layer concentration	36.25	
Soil	Standard sandy loam (0.0m)	Naphthalene	Measured soil layer concentration	0	
Soil	Standard sandy loam (7.0m)	Naphthalene	Measured soil layer concentration	22.5	
Soil	Standard sandy loam (0.0m)	TPH aliphatic (EC 5-6)	Measured soil layer concentration	0	

Topic	Soil layer	Chemical	Parameter	Value	Comment
Soil	Standard sandy loam (7.0m)	TPH aliphatic (EC 5-6)	Measured soil layer concentration	0	
Soil	Standard sandy loam (0.0m)	TPH aliphatic (EC >10-12)	Measured soil layer concentration	0	
Soil	Standard sandy loam (7.0m)	TPH aliphatic (EC >10-12)	Measured soil layer concentration	1167	
Soil	Standard sandy loam (0.0m)	TPH aliphatic (EC >12-16)	Measured soil layer concentration	0	
Soil	Standard sandy loam (7.0m)	TPH aliphatic (EC >12-16)	Measured soil layer concentration	6739.2	
Soil	Standard sandy loam (0.0m)	TPH aliphatic (EC >16-21)	Measured soil layer concentration	0	
Soil	Standard sandy loam (7.0m)	TPH aliphatic (EC >16-21)	Measured soil layer concentration	3195.4	
Soil	Standard sandy loam (0.0m)	TPH aliphatic (EC >21-35)	Measured soil layer concentration	0	
Soil	Standard sandy loam (7.0m)	TPH aliphatic (EC >21-35)	Measured soil layer concentration	0	
Soil	Standard sandy loam (0.0m)	TPH aliphatic (EC >6-8)	Measured soil layer concentration	0	
Soil	Standard sandy loam (7.0m)	TPH aliphatic (EC >6-8)	Measured soil layer concentration	13.78	
Soil	Standard sandy loam (0.0m)	TPH aliphatic (EC >8-10)	Measured soil layer concentration	0	
Soil	Standard sandy loam (7.0m)	TPH aliphatic (EC >8-10)	Measured soil layer concentration	125.06	
Soil	Standard sandy loam (0.0m)	TPH aromatic (EC >10-12)	Measured soil layer concentration	0	
Soil	Standard sandy loam (7.0m)	TPH aromatic (EC >10-12)	Measured soil layer concentration	194.48	
Soil	Standard sandy loam (0.0m)	TPH aromatic (EC >12-16)	Measured soil layer concentration	0	
Soil	Standard sandy loam (7.0m)	TPH aromatic (EC >12-16)	Measured soil layer concentration	1597.7	
Soil	Standard sandy loam (0.0m)	TPH aromatic (EC >16-21)	Measured soil layer concentration	0	
Soil	Standard sandy loam (7.0m)	TPH aromatic (EC >16-21)	Measured soil layer concentration	972.66	
Soil	Standard sandy loam (0.0m)	TPH aromatic (EC >21-35)	Measured soil layer concentration	0	
Soil	Standard sandy loam (7.0m)	TPH aromatic (EC >21-35)	Measured soil layer concentration	0	
Soil	Standard sandy loam (0.0m)	TPH aromatic (EC >6-7)	Measured soil layer concentration	0	
Soil	Standard sandy loam (7.0m)	TPH aromatic (EC >6-7)	Measured soil layer concentration	0	
Soil	Standard sandy loam (0.0m)	TPH aromatic (EC >7-8)	Measured soil layer concentration	0	
Soil	Standard sandy loam (7.0m)	TPH aromatic (EC >7-8)	Measured soil layer concentration	0	
Soil	Standard sandy loam (0.0m)	TPH aromatic (EC >8-10)	Measured soil layer concentration	0	
Soil	Standard sandy loam (7.0m)	TPH aromatic (EC >8-10)	Measured soil layer concentration	222.3	
Soil	Standard sandy loam (0.0m)	Toluene	Measured soil layer concentration	0	
Soil	Standard sandy loam (7.0m)	Toluene	Measured soil layer concentration	69	
Soil	Standard sandy loam (0.0m)	m-Xylene	Measured soil layer concentration	0	
Soil	Standard sandy loam (7.0m)	m-Xylene	Measured soil layer concentration	40.2	
Water			Groundwater calculated or not (1 = calculated)	1	
Water			Depth of the groundwater table	8	
Water		Benzene	Concentration in groundwater	210.7060602	

Topic	Soil layer	Chemical	Parameter	Value	Comment
Water		Ethylbenzene	Concentration in groundwater	433.1161301	
Water		Methyl-t-butylether	Concentration in groundwater	50868.78021	
Water		Naphthalene	Concentration in groundwater	543.8870653	
Water		TPH aliphatic (EC 5-6)	Concentration in groundwater	0	
Water		TPH aliphatic (EC >10-12)	Concentration in groundwater	19.701493	
Water		TPH aliphatic (EC >12-16)	Concentration in groundwater	0.4403863141	
Water		TPH aliphatic (EC >16-21)	Concentration in groundwater	0.001448639191	
Water		TPH aliphatic (EC >21-35)	Concentration in groundwater	0	
Water		TPH aliphatic (EC >6-8)	Concentration in groundwater	109.6919083	
Water		TPH aliphatic (EC >8-10)	Concentration in groundwater	139.2725185	
Water		TPH aromatic (EC >10-12)	Concentration in groundwater	2781.341265	
Water		TPH aromatic (EC >12-16)	Concentration in groundwater	3360.842923	
Water		TPH aromatic (EC >16-21)	Concentration in groundwater	376.6461897	
Water		TPH aromatic (EC >21-35)	Concentration in groundwater	0	
Water		TPH aromatic (EC >6-7)	Concentration in groundwater	0	
Water		TPH aromatic (EC >7-8)	Concentration in groundwater	0	
Water		TPH aromatic (EC >8-10)	Concentration in groundwater	5003.378824	
Water		Toluene	Concentration in groundwater	16295.02441	
Water		m-Xylene	Concentration in groundwater	6717.423168	

Version: 1.2.6 - Calculated with version: 1.2.6 - Region: Wallonia