S-Risk report - CSM_Z_2

Administrative information

Name: CSM_Z_2
Label: YV
Application: II Site specific risk assessment
Region: Wallonia
Description: conc BTEXmtbe = RI=1, no cancer risk

Main results

	Highest RI	Highest ExCR	Highest pRI	Highest CI
Chemical	(>1)	(>10^{-5})	(>1)	(>1)
Benzene	9.674e-1	9.382e-6		5.180e-3 (Outdoor air CI)
Toluene	9.646e-1			(Indoor air CI)
Ethylbenzene	2.332e-2	9.425e-6		(Indoor air CI)
m-Xylene	1.006e+0			(Indoor air CI)
Naphthalene		9.685e-6		(Indoor air CI)
TPH aliphatic (EC 5-6)	0			(Indoor air CI)
TPH aliphatic (EC >10-12)	1.052e+0			(Indoor air CI)
TPH aliphatic (EC >12-16)	2.155e-1			(Indoor air CI)
TPH aliphatic (EC >16-21)	9.487e-4			(Indoor air CI)
TPH aliphatic (EC >21-35)	0			(Indoor air CI)
TPH aliphatic (EC >6-8)	1.589e-2			(Indoor air CI)
TPH aliphatic (EC >8-10)	5.846e-1			(Indoor air CI)
TPH aromatic (EC >6-7)	0	0		0 (Outdoor air CI)
TPH aromatic (EC >7-8)	0			(Indoor air CI)
TPH aromatic (EC >8-10)	6.340e-1			(Indoor air CI)
TPH aromatic (EC >10-12)	1.024e-1			(Indoor air CI)
TPH aromatic (EC >12-16)	1.600e-1			(Indoor air CI)
TPH aromatic (EC >16-21)	1.439e-2			(Indoor air CI)
TPH aromatic (EC >21-35)	0			(Indoor air CI)
Methyl-t-butylether	2.210e-2	9.288e-6		(Indoor air CI)

Conceptual site model

Scenario

Land use: Residential only inhal

Based on: Residential without garden

Exposure routes

Oral		Inhalation		Dermal	
☐	soil & settled dust	☑	via outdoor air	☐	via soil & settled dust
☐	vegetables	☑	via indoor air	☑	via water (bath & shower)
☐	via meat & milk	☑	during showering		
☐	via eggs				
☐	via water				

Soil profile & concentrations

Site characteristics

Building type		Basement
Floor thickness	m	0.1
Floor quality setting		Gaps and holes
Drinking water pipe depth	m	0.8
Length of the site	m	50.0

		Standard sand	Standard sand	Groundwater
Layer properties				
Top of layer	m	0.0	2.0	3.0
OM	%	3.3	3.3	
Clay content	%	2.0	2.0	

	Standard sand	Standard sand	Groundwater
pH_{KCl}	3.400e+0	3.400e+0	
Concentrations	**mg/kg dm**	**mg/kg dm**	**µg/l (Calculated)**
Benzene	0	5.000e-2	1.697e+1
Toluene	0	6.000e+0	1.285e+3
Ethylbenzene	0	2.200e-1	3.191e+1
m-Xylene	0	3.500e+0	5.196e+2
Naphthalene	0	2.000e+0	4.121e+1
TPH aliphatic (EC 5-6)	0	0	0
TPH aliphatic (EC >10-12)	0	7.700e+1	9.350e+0
TPH aliphatic (EC >12-16)	0	4.446e+2	4.404e-1
TPH aliphatic (EC >16-21)	0	2.108e+2	1.449e-3
TPH aliphatic (EC >21-35)	0	0	0
TPH aliphatic (EC >6-8)	0	9.200e-1	6.222e+0
TPH aliphatic (EC >8-10)	0	8.250e+0	7.783e+0
TPH aromatic (EC >6-7)	0	0	0
TPH aromatic (EC >7-8)	0	0	0
TPH aromatic (EC >8-10)	0	1.467e+1	2.813e+2
TPH aromatic (EC >10-12)	0	1.283e+1	1.560e+2
TPH aromatic (EC >12-16)	0	1.054e+2	6.437e+2
TPH aromatic (EC >16-21)	0	6.417e+1	1.241e+2
TPH aromatic (EC >21-35)	0	0	0
Methyl-t-butylether	0	2.100e+0	4.119e+3

Results per chemical

Benzene

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	9.674e-1	6.605e-1	4.590e-1
Overall RI for systemic threshold effects	9.674e-1	6.605e-1	4.590e-1

Non-threshold, systemic	Age group 1	Age group 2	Age group 3	Lifelong
Oral ExCR for systemic non-threshold effects	0	0	0	0
Dermal ExCR for systemic non-threshold effects	0	0	0	0
Inhalation ExCR for systemic non-threshold effects	1.741e-5	1.189e-5	8.261e-6	9.382e-6
Overall ExCR for systemic non-threshold effects	1.741e-5	1.189e-5	8.261e-6	9.382e-6

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m^3
Water CI	0	1.000e+0
Outdoor air CI	5.180e-3	5.000e-3
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**2.902e-3**		**1.982e-3**		**1.377e-3**	
inhalation of indoor air	2.900e-3	99.9%	1.980e-3	99.9%	1.376e-3	100.0%
inhalation of outdoor air	2.013e-6	0.1%	1.804e-6	0.1%	5.207e-7	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%
local oral exposure	0	%	0	%	0	%
Inhal	**2.902e-3**		**1.982e-3**		**1.377e-3**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	2.902e-3	100.0%	1.982e-3	100.0%	1.377e-3	100.0%

(*) Refer to the full report for more information about these values.

Toluene

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	9.646e-1	6.587e-1	4.577e-1
Overall RI for systemic threshold effects	9.646e-1	6.587e-1	4.577e-1

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m^3
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr	6-<15 yr	15-<71 yr
	mg/kg bw·d or mg/m³	mg/kg bw·d or mg/m³	mg/kg bw·d or mg/m³
Oral intake	**0**	**0**	**0**

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**2.508e-1**		**1.712e-1**		**1.190e-1**	
inhalation of indoor air	2.506e-1	99.9%	1.711e-1	99.9%	1.189e-1	100.0%
inhalation of outdoor air	1.695e-4	0.1%	1.519e-4	0.1%	4.386e-5	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%
local oral exposure	0	%	0	%	0	%
Inhal	**2.508e-1**		**1.712e-1**		**1.190e-1**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	2.508e-1	100.0%	1.712e-1	100.0%	1.190e-1	100.0%

(*) Refer to the full report for more information about these values.

Ethylbenzene

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	2.332e-2	1.593e-2	1.107e-2
Overall RI for systemic threshold effects	2.332e-2	1.593e-2	1.107e-2

Non-threshold, systemic	Age group 1	Age group 2	Age group 3	Lifelong
Oral ExCR for systemic non-threshold effects	0	0	0	0
Dermal ExCR for systemic non-threshold effects	0	0	0	0
Inhalation ExCR for systemic non-threshold effects	1.749e-5	1.194e-5	8.300e-6	9.425e-6
Overall ExCR for systemic non-threshold effects	1.749e-5	1.194e-5	8.300e-6	9.425e-6

Concentration indexes

Concentration index	Limit value
CI Environment	mg/m^3
Water CI	
Outdoor air CI	
Indoor air CI	
CI Animal products	mg/kg fw
Beef CI	
Sheep meat CI	
Liver CI	
Kidney CI	

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**6.997e-3**		**4.778e-3**		**3.320e-3**	
inhalation of indoor air	6.993e-3	99.9%	4.774e-3	99.9%	3.319e-3	100.0%
inhalation of outdoor air	4.504e-6	0.1%	4.036e-6	0.1%	1.165e-6	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**6.997e-3**		**4.778e-3**		**3.320e-3**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	6.997e-3	100.0%	4.778e-3	100.0%	3.320e-3	100.0%

(*) Refer to the full report for more information about these values.

m-Xylene

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	1.006e+0	6.870e-1	4.774e-1
Overall RI for systemic threshold effects	1.006e+0	6.870e-1	4.774e-1

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m³
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**1.006e-1**		**6.870e-2**		**4.774e-2**	
inhalation of indoor air	1.006e-1	99.9%	6.864e-2	99.9%	4.772e-2	100.0%
inhalation of outdoor air	6.377e-5	0.1%	5.715e-5	0.1%	1.650e-5	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**1.006e-1**		**6.870e-2**		**4.774e-2**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	1.006e-1	100.0%	6.870e-2	100.0%	4.774e-2	100.0%

(*) Refer to the full report for more information about these values.

Naphthalene

Risk indexes

Non-threshold, systemic	Age group 1	Age group 2	Age group 3	Lifelong
Oral ExCR for systemic non-threshold effects	0	0	0	0
Dermal ExCR for systemic non-threshold effects	0	0	0	0
Inhalation ExCR for systemic non-threshold effects	1.798e-5	1.227e-5	8.529e-6	9.685e-6
Overall ExCR for systemic non-threshold effects	1.798e-5	1.227e-5	8.529e-6	9.685e-6

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m³
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**5.287e-4**		**3.610e-4**		**2.508e-4**	
inhalation of indoor air	5.284e-4	99.9%	3.607e-4	99.9%	2.508e-4	100.0%
inhalation of outdoor air	3.251e-7	0.1%	2.913e-7	0.1%	8.409e-8	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**5.287e-4**		**3.610e-4**		**2.508e-4**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	5.287e-4	100.0%	3.610e-4	100.0%	2.508e-4	100.0%

(*) Refer to the full report for more information about these values.

TPH aliphatic (EC 5-6)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	0	0	0
Overall RI for systemic threshold effects	0	0	0

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m³
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**0**		**0**		**0**	
inhalation of indoor air	0	%	0	%	0	%
inhalation of outdoor air	0	%	0	%	0	%
inhalation during showering	0	%	0	%	0	%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**0**		**0**		**0**	
background inhalation exposure	0	%	0	%	0	%
local inhalation exposure	0	%	0	%	0	%

(*) Refer to the full report for more information about these values.

TPH aliphatic (EC >10-12)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	1.052e+0	7.181e-1	4.990e-1
Overall RI for systemic threshold effects	1.052e+0	7.181e-1	4.990e-1

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m^3
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**1.052e+0**		**7.181e-1**		**4.990e-1**	
inhalation of indoor air	1.051e+0	99.9%	7.174e-1	99.9%	4.988e-1	100.0%
inhalation of outdoor air	7.723e-4	0.1%	6.921e-4	0.1%	1.998e-4	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**1.052e+0**		**7.181e-1**		**4.990e-1**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	1.052e+0	100.0%	7.181e-1	100.0%	4.990e-1	100.0%

(*) Refer to the full report for more information about these values.

TPH aliphatic (EC >12-16)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	2.155e-1	1.471e-1	1.022e-1
Overall RI for systemic threshold effects	2.155e-1	1.471e-1	1.022e-1

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m³
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**2.155e-1**		**1.471e-1**		**1.022e-1**	
inhalation of indoor air	2.153e-1	99.9%	1.470e-1	99.9%	1.022e-1	100.0%
inhalation of outdoor air	1.582e-4	0.1%	1.418e-4	0.1%	4.093e-5	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**2.155e-1**		**1.471e-1**		**1.022e-1**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	2.155e-1	100.0%	1.471e-1	100.0%	1.022e-1	100.0%

(*) Refer to the full report for more information about these values.

TPH aliphatic (EC >16-21)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	9.487e-4	6.478e-4	4.501e-4
Overall RI for systemic threshold effects	9.487e-4	6.478e-4	4.501e-4

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m^3
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**6.641e-3**		**4.534e-3**		**3.151e-3**	
inhalation of indoor air	6.636e-3	99.9%	4.530e-3	99.9%	3.149e-3	100.0%
inhalation of outdoor air	4.876e-6	0.1%	4.370e-6	0.1%	1.262e-6	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**6.641e-3**		**4.534e-3**		**3.151e-3**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	6.641e-3	100.0%	4.534e-3	100.0%	3.151e-3	100.0%

(*) Refer to the full report for more information about these values.

TPH aliphatic (EC >21-35)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	0	0	0
Overall RI for systemic threshold effects	0	0	0

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m³
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**0**		**0**		**0**	
inhalation of indoor air	0	%	0	%	0	%
inhalation of outdoor air	0	%	0	%	0	%
inhalation during showering	0	%	0	%	0	%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**0**		**0**		**0**	
background inhalation exposure	0	%	0	%	0	%
local inhalation exposure	0	%	0	%	0	%

(*) Refer to the full report for more information about these values.

TPH aliphatic (EC >6-8)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	1.589e-2	1.085e-2	7.539e-3
Overall RI for systemic threshold effects	1.589e-2	1.085e-2	7.539e-3

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m^3
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**2.924e-1**		**1.997e-1**		**1.387e-1**	
inhalation of indoor air	2.922e-1	99.9%	1.995e-1	99.9%	1.387e-1	100.0%
inhalation of outdoor air	2.147e-4	0.1%	1.924e-4	0.1%	5.555e-5	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**2.924e-1**		**1.997e-1**		**1.387e-1**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	2.924e-1	100.0%	1.997e-1	100.0%	1.387e-1	100.0%

(*) Refer to the full report for more information about these values.

TPH aliphatic (EC >8-10)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	5.846e-1	3.992e-1	2.774e-1
Overall RI for systemic threshold effects	5.846e-1	3.992e-1	2.774e-1

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m³
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**5.846e-1**		**3.992e-1**		**2.774e-1**	
inhalation of indoor air	5.842e-1	99.9%	3.988e-1	99.9%	2.772e-1	100.0%
inhalation of outdoor air	4.293e-4	0.1%	3.847e-4	0.1%	1.111e-4	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**5.846e-1**		**3.992e-1**		**2.774e-1**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	5.846e-1	100.0%	3.992e-1	100.0%	2.774e-1	100.0%

(*) Refer to the full report for more information about these values.

TPH aromatic (EC >6-7)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	0	0	0
Overall RI for systemic threshold effects	0	0	0

Non-threshold, systemic	Age group 1	Age group 2	Age group 3	Lifelong
Oral ExCR for systemic non-threshold effects	0	0	0	0
Dermal ExCR for systemic non-threshold effects	0	0	0	0
Inhalation ExCR for systemic non-threshold effects	0	0	0	0
Overall ExCR for systemic non-threshold effects	0	0	0	0

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m³
Water CI	0	1.000e+0
Outdoor air CI	0	5.000e-3
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**0**		**0**		**0**	
inhalation of indoor air	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
inhalation of outdoor air	0	%	0	%	0	%
inhalation during showering	0	%	0	%	0	%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%
local oral exposure	0	%	0	%	0	%
Inhal	**0**		**0**		**0**	
background inhalation exposure	0	%	0	%	0	%
local inhalation exposure	0	%	0	%	0	%

(*) Refer to the full report for more information about these values.

TPH aromatic (EC >7-8)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	0	0	0
Overall RI for systemic threshold effects	0	0	0

Concentration indexes

	Concentration index	Limit value

	Concentration index	Limit value
CI Environment		mg/m^3
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**0**		**0**		**0**	
inhalation of indoor air	0	%	0	%	0	%
inhalation of outdoor air	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
inhalation during showering	0	%	0	%	0	%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%
local oral exposure	0	%	0	%	0	%
Inhal	**0**		**0**		**0**	
background inhalation exposure	0	%	0	%	0	%
local inhalation exposure	0	%	0	%	0	%

(*) Refer to the full report for more information about these values.

TPH aromatic (EC >8-10)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	6.340e-1	4.329e-1	3.008e-1
Overall RI for systemic threshold effects	6.340e-1	4.329e-1	3.008e-1

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m^3

	Concentration index	Limit value
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**1.268e-1**		**8.658e-2**		**6.015e-2**	
inhalation of indoor air	1.267e-1	99.9%	8.649e-2	99.9%	6.013e-2	100.0%
inhalation of outdoor air	9.311e-5	0.1%	8.344e-5	0.1%	2.409e-5	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%
local oral exposure	0	%	0	%	0	%
Inhal	**1.268e-1**		**8.658e-2**		**6.015e-2**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	1.268e-1	100.0%	8.658e-2	100.0%	6.015e-2	100.0%

(*) Refer to the full report for more information about these values.

TPH aromatic (EC >10-12)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	1.024e-1	6.995e-2	4.860e-2
Overall RI for systemic threshold effects	1.024e-1	6.995e-2	4.860e-2

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m^3
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw

	Concentration index	Limit value
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**2.049e-2**		**1.399e-2**		**9.720e-3**	
inhalation of indoor air	2.047e-2	99.9%	1.398e-2	99.9%	9.716e-3	100.0%
inhalation of outdoor air	1.505e-5	0.1%	1.348e-5	0.1%	3.893e-6	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr	6-<15 yr	15-<71 yr

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%
local oral exposure	0	%	0	%	0	%
Inhal	**2.049e-2**		**1.399e-2**		**9.720e-3**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	2.049e-2	100.0%	1.399e-2	100.0%	9.720e-3	100.0%

(*) Refer to the full report for more information about these values.

TPH aromatic (EC >12-16)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	1.600e-1	1.092e-1	7.589e-2
Overall RI for systemic threshold effects	1.600e-1	1.092e-1	7.589e-2

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m³
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		

	Concentration index	Limit value
Liver CI		
Kidney CI		
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**3.199e-2**		**2.184e-2**		**1.518e-2**	
inhalation of indoor air	3.197e-2	99.9%	2.182e-2	99.9%	1.517e-2	100.0%
inhalation of outdoor air	2.350e-5	0.1%	2.106e-5	0.1%	6.080e-6	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr	6-<15 yr	15-<71 yr
	mg/kg bw·d or mg/m³	mg/kg bw·d or mg/m³	mg/kg bw·d or mg/m³
Oral	**0**	**0**	**0**

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
background oral exposure	0	%	0	%	0	%
local oral exposure	0	%	0	%	0	%
Inhal	**3.199e-2**		**2.184e-2**		**1.518e-2**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	3.199e-2	100.0%	2.184e-2	100.0%	1.518e-2	100.0%

(*) Refer to the full report for more information about these values.

TPH aromatic (EC >16-21)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	1.439e-2	9.827e-3	6.828e-3
Overall RI for systemic threshold effects	1.439e-2	9.827e-3	6.828e-3

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m^3
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		

	Concentration index	Limit value
Kidney CI		
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**1.511e-3**		**1.032e-3**		**7.169e-4**	
inhalation of indoor air	1.510e-3	99.9%	1.031e-3	99.9%	7.166e-4	100.0%
inhalation of outdoor air	1.112e-6	0.1%	9.961e-7	0.1%	2.876e-7	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**1.511e-3**		**1.032e-3**		**7.169e-4**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	1.511e-3	100.0%	1.032e-3	100.0%	7.169e-4	100.0%

(*) Refer to the full report for more information about these values.

TPH aromatic (EC >21-35)

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	0	0	0
Overall RI for systemic threshold effects	0	0	0

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m³
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		

	Concentration index	Limit value
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**0**		**0**		**0**	
inhalation of indoor air	0	%	0	%	0	%
inhalation of outdoor air	0	%	0	%	0	%
inhalation during showering	0	%	0	%	0	%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
local oral exposure	0	%	0	%	0	%
Inhal	**0**		**0**		**0**	
background inhalation exposure	0	%	0	%	0	%
local inhalation exposure	0	%	0	%	0	%

(*) Refer to the full report for more information about these values.

Methyl-t-butylether

Risk indexes

Threshold effect, systemic	Age group 1	Age group 2	Age group 3
Oral RI for systemic threshold effects	0	0	0
Dermal RI for systemic threshold effects	0	0	0
Inhalation RI for systemic threshold effects	2.210e-2	1.509e-2	1.049e-2
Overall RI for systemic threshold effects	2.210e-2	1.509e-2	1.049e-2

Non-threshold, systemic	Age group 1	Age group 2	Age group 3	Lifelong
Oral ExCR for systemic non-threshold effects	0	0	0	0
Dermal ExCR for systemic non-threshold effects	0	0	0	0
Inhalation ExCR for systemic non-threshold effects	1.724e-5	1.177e-5	8.179e-6	9.288e-6
Overall ExCR for systemic non-threshold effects	1.724e-5	1.177e-5	8.179e-6	9.288e-6

Concentration indexes

	Concentration index	Limit value
CI Environment		mg/m^3
Water CI		
Outdoor air CI		
Indoor air CI		
CI Animal products		mg/kg fw
Beef CI		
Sheep meat CI		
Liver CI		
Kidney CI		
Milk CI		
Butter CI		
Egg CI		
CI feed crops		mg/kg fw
Grass CI		
Maize CI		

Exposure overview

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral intake	**0**		**0**		**0**	
intake via eggs	0	%	0	%	0	%
intake via local vegetables	0	%	0	%	0	%
intake via meat & milk	0	%	0	%	0	%
soil & dust ingestion	0	%	0	%	0	%
intake via water	0	%	0	%	0	%
Dermal intake	**0**		**0**		**0**	
uptake via bathing	0	%	0	%	0	%
uptake via showering	0	%	0	%	0	%
uptake via soil & dust	0	%	0	%	0	%
Intake via inhalation	**6.631e-2**		**4.528e-2**		**3.146e-2**	
inhalation of indoor air	6.626e-2	99.9%	4.523e-2	99.9%	3.145e-2	100.0%

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
inhalation of outdoor air	4.747e-5	0.1%	4.254e-5	0.1%	1.228e-5	0.0%
inhalation during showering	0	0.0%	0	0.0%	0	0.0%

(*) Refer to the full report for more information about these values.

Local vs background exposure

	1-<6 yr		6-<15 yr		15-<71 yr	
	mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³		mg/kg bw·d or mg/m³	
Oral	**0**		**0**		**0**	
background oral exposure	0	%	0	%	0	%
local oral exposure	0	%	0	%	0	%
Inhal	**6.631e-2**		**4.528e-2**		**3.146e-2**	
background inhalation exposure	0	0.0%	0	0.0%	0	0.0%
local inhalation exposure	6.631e-2	100.0%	4.528e-2	100.0%	3.146e-2	100.0%

(*) Refer to the full report for more information about these values.

List of user-modified parameters

In the table below user-modified parameters are listed like they are saved in the system. If the format of the values shown is not immediately clear, refer to the extended report for more details.

Topic	Soil layer	Chemical	Parameter	Value	Comment
Scenario			scenarioName	Residential only inhal	
Scenario			Layer index targeted for optimization	1	
Soil	Standard sand (0.0m)		Top of layer	0.0E0	
Soil	Standard sand (2.0m)		Top of layer	2.0E0	
Soil	Standard sand (0.0m)	Benzene	Measured soil layer concentration	0	
Soil	Standard sand (2.0m)	Benzene	Measured soil layer concentration	0.05	
Soil	Standard sand (0.0m)	Ethylbenzene	Measured soil layer concentration	0	
Soil	Standard sand (2.0m)	Ethylbenzene	Measured soil layer concentration	0.22	
Soil	Standard sand (0.0m)	Methyl-t-butylether	Measured soil layer concentration	0	
Soil	Standard sand (2.0m)	Methyl-t-butylether	Measured soil layer concentration	2.1	
Soil	Standard sand (0.0m)	Naphthalene	Measured soil layer concentration	0	
Soil	Standard sand (2.0m)	Naphthalene	Measured soil layer concentration	2	

Topic	Soil layer	Chemical	Parameter	Value	Comment
Soil	Standard sand (0.0m)	TPH aliphatic (EC 5-6)	Measured soil layer concentration	0	
Soil	Standard sand (2.0m)	TPH aliphatic (EC 5-6)	Measured soil layer concentration	0	
Soil	Standard sand (0.0m)	TPH aliphatic (EC >10-12)	Measured soil layer concentration	0	
Soil	Standard sand (2.0m)	TPH aliphatic (EC >10-12)	Measured soil layer concentration	77	
Soil	Standard sand (0.0m)	TPH aliphatic (EC >12-16)	Measured soil layer concentration	0	
Soil	Standard sand (2.0m)	TPH aliphatic (EC >12-16)	Measured soil layer concentration	444.58	
Soil	Standard sand (0.0m)	TPH aliphatic (EC >16-21)	Measured soil layer concentration	0	
Soil	Standard sand (2.0m)	TPH aliphatic (EC >16-21)	Measured soil layer concentration	210.83	
Soil	Standard sand (0.0m)	TPH aliphatic (EC >21-35)	Measured soil layer concentration	0	
Soil	Standard sand (2.0m)	TPH aliphatic (EC >21-35)	Measured soil layer concentration	0	
Soil	Standard sand (0.0m)	TPH aliphatic (EC >6-8)	Measured soil layer concentration	0	
Soil	Standard sand (2.0m)	TPH aliphatic (EC >6-8)	Measured soil layer concentration	0.92	
Soil	Standard sand (0.0m)	TPH aliphatic (EC >8-10)	Measured soil layer concentration	0	
Soil	Standard sand (2.0m)	TPH aliphatic (EC >8-10)	Measured soil layer concentration	8.25	
Soil	Standard sand (0.0m)	TPH aromatic (EC >10-12)	Measured soil layer concentration	0	
Soil	Standard sand (2.0m)	TPH aromatic (EC >10-12)	Measured soil layer concentration	12.83	
Soil	Standard sand (0.0m)	TPH aromatic (EC >12-16)	Measured soil layer concentration	0	
Soil	Standard sand (2.0m)	TPH aromatic (EC >12-16)	Measured soil layer concentration	105.42	
Soil	Standard sand (0.0m)	TPH aromatic (EC >16-21)	Measured soil layer concentration	0	
Soil	Standard sand (2.0m)	TPH aromatic (EC >16-21)	Measured soil layer concentration	64.17	
Soil	Standard sand (0.0m)	TPH aromatic (EC >21-35)	Measured soil layer concentration	0	
Soil	Standard sand (2.0m)	TPH aromatic (EC >21-35)	Measured soil layer concentration	0	
Soil	Standard sand (0.0m)	TPH aromatic (EC >6-7)	Measured soil layer concentration	0	
Soil	Standard sand (2.0m)	TPH aromatic (EC >6-7)	Measured soil layer concentration	0	
Soil	Standard sand (0.0m)	TPH aromatic (EC >7-8)	Measured soil layer concentration	0	
Soil	Standard sand (2.0m)	TPH aromatic (EC >7-8)	Measured soil layer concentration	0	
Soil	Standard sand (0.0m)	TPH aromatic (EC >8-10)	Measured soil layer concentration	0	
Soil	Standard sand (2.0m)	TPH aromatic (EC >8-10)	Measured soil layer concentration	14.67	
Soil	Standard sand (0.0m)	Toluene	Measured soil layer concentration	0	
Soil	Standard sand (2.0m)	Toluene	Measured soil layer concentration	6	
Soil	Standard sand (0.0m)	m-Xylene	Measured soil layer concentration	0	
Soil	Standard sand (2.0m)	m-Xylene	Measured soil layer concentration	3.5	
Water			Groundwater calculated or not (1 = calculated)	1	
Water		Benzene	Concentration in groundwater	16.96687642	

Topic	Soil layer	Chemical	Parameter	Value	Comment
Water		Ethylbenzene	Concentration in groundwater	31.90990044	
Water		Methyl-t-butylether	Concentration in groundwater	4119.262232	
Water		Naphthalene	Concentration in groundwater	41.20736497	
Water		TPH aliphatic (EC 5-6)	Concentration in groundwater	0	
Water		TPH aliphatic (EC >10-12)	Concentration in groundwater	9.349529648	
Water		TPH aliphatic (EC >12-16)	Concentration in groundwater	0.4403863141	
Water		TPH aliphatic (EC >16-21)	Concentration in groundwater	0.001448639191	
Water		TPH aliphatic (EC >21-35)	Concentration in groundwater	0	
Water		TPH aliphatic (EC >6-8)	Concentration in groundwater	6.221660246	
Water		TPH aliphatic (EC >8-10)	Concentration in groundwater	7.782524821	
Water		TPH aromatic (EC >10-12)	Concentration in groundwater	155.96089	
Water		TPH aromatic (EC >12-16)	Concentration in groundwater	643.6880724	
Water		TPH aromatic (EC >16-21)	Concentration in groundwater	124.0644386	
Water		TPH aromatic (EC >21-35)	Concentration in groundwater	0	
Water		TPH aromatic (EC >6-7)	Concentration in groundwater	0	
Water		TPH aromatic (EC >7-8)	Concentration in groundwater	0	
Water		TPH aromatic (EC >8-10)	Concentration in groundwater	281.3084612	
Water		Toluene	Concentration in groundwater	1285.047859	
Water		m-Xylene	Concentration in groundwater	519.5794719	

Version: 1.2.6 - Calculated with version: 1.2.6 - Region: Wallonia